




FIGUR 1



2/11




3/11




4/11

Figure 4a

Non-neoplastic Epithelium



Tumor Epithelium



before

after

BESI AVAILABLE COPY

Figure 4b

RASSF1A methylation					
Pat.ID	Tumor Epithelium	Tumor Stroma	Non-neoplastic Epithelium	Non-neoplastic Stroma	
3167	+	-	-	-	
2914	+	n.d.	-	-	
217	+	-	n.d.	n.d.	
2668	+	-	-	n.d.	
1724	+	-	n.d.	n.d.	
3161	+	-	+	-	
673	+	-	-	-	
3248	+	-	n.d.	-	
3527	+	n.d.	-	-	
3591	+	-	+	-	
202	+	n.d.	-	n.d.	
3610	+	-	-	-	
1649	+	+	-	-	

6/11

Figure 5a.





Figure 5b



8/11


Characteristic	Pos → Neg	Finally Pos	Fishers' Exact Test
no. of patients			
Size of tumor			0.78
T1	11	19	
T2/3/4	10	14	
Tumor grade			0.07
I	3	13	
II/III	17	20	
Lymph node metastases			1.00
Negative	10	18	
Positive	8	13	
Menopausal status			1.00
Premenopausal	1	3	
Postmenopausal	20	30	
Hormone receptor status			0.39
Positive	20	33	
Negative	1	0	
Adjuvant radiation therapy			0.76
No	7	13	
Yes	14	20	
Additional chemotherapy			0.26
No	15	18	
Yes	6	15	
Type of surgery			0.59
BE	9	17	
ME	12	16	

Figure 5C

BEST AVAILABLE COPY


9/11

Figure 6



10/11

Figure 7



11/11

Figure 8

